

Babcock, Claire and Zarbook Sarah. Comprehensive Review for the Certification and Recertification for Physician Assistants, with calibration with the AAPA and PAEA.

[Mackenzie EJ, Rivara FP, Jurkovich GJ, et al. The National Study on Costs and Outcomes of Trauma. J Trauma 2007; 63:S54.](#) Global Status on Road Safety 2015, World Health Organization, [http://www.who.int/violence\\_injury\\_prevention/road\\_safety\\_status/2015/](http://www.who.int/violence_injury_prevention/road_safety_status/2015/) (Accessed on April 04, 2016). [SÄ, reide K. Epidemiology of major trauma. Br J Surg 2009; 96:697.](#) [Demetriades D, Murray J, Sinz B, et al. Epidemiology of major trauma and trauma deaths in Los Angeles County. J Am Coll Surg 1998; 187:373.](#) [Evans JA, van Wessem KJ, McDougall D, et al. Epidemiology of traumatic deaths: comprehensive population-based assessment. World J Surg 2010; 34:158.](#) [MacKenzie EJ, Rivara FP, Jurkovich GJ, et al. A national evaluation of the effect of trauma-center care on mortality. N Engl J Med 2006; 354:366.](#) [Christmas AB, Reynolds J, Wilson AK, et al. Morbid obesity impacts mortality in blunt trauma. Am Surg 2007; 73:1122.](#) [Clement ND, Tennant C, Muwanga C. Polytrauma in the elderly: predictors of the cause and time of death. Scand J Trauma Resusc Emerg Med 2010; 18:26.](#) [Perdue PW, Watts DD, Kaufmann CR, Trask AL. Differences in mortality between elderly and younger adult trauma patients: geriatric status increases risk of delayed death. J Trauma 1998; 45:805.](#) [Bamvita JM, Bergeron E, Lavoie A, et al. The impact of premorbid conditions on temporal pattern and location of adult blunt trauma hospital deaths. J Trauma 2007; 63:135.](#) [Shoko T, Shiraishi A, Kaji M, Otomo Y. Effect of pre-existing medical conditions on in-hospital mortality: analysis of 20,257 trauma patients in Japan. J Am Coll Surg 2010; 211:338.](#) [Ditillo M, Pandit V, Rhee P, et al. Morbid obesity predisposes trauma patients to worse outcomes: a National Trauma Data Bank analysis. J Trauma Acute Care Surg 2014; 76:176.](#) [Donnelly JP, Griffin RL, Sathiakumar N, McGwin G Jr. Obesity and vehicle type as risk factors for injury caused by motor vehicle collision. J Trauma Acute Care Surg 2014; 76:1116.](#) [Hwabejire JO, Kaafarani HM, Lee J, et al. Patterns of injury, outcomes, and predictors of in-hospital and 1-year mortality in nonagenarian and centenarian trauma patients. JAMA Surg 2014; 149:1054.](#) [Liu T, Chen JJ, Bai XJ, et al. The effect of obesity on outcomes in trauma patients: a meta-analysis. Injury 2013; 44:1145.](#) [Perel P, Prieto-Merino D, Shakur H, et al. Predicting early death in patients with traumatic bleeding: development and validation of prognostic model. BMJ 2012; 345:e5166.](#) [Dossett LA, Riesel JN, Griffin MR, Cotton BA. Prevalence and implications of preinjury warfarin use: an analysis of the National Trauma Databank. Arch Surg 2011; 146:565.](#) [Teixeira PG, Inaba K, Hadjizacharia P, et al. Preventable or potentially preventable mortality at a mature trauma center. J Trauma 2007; 63:1338.](#) [Teixeira PG, Inaba K, Salim A, et al. Preventable morbidity at a mature trauma center. Arch Surg 2009; 144:536.](#) [Demetriades D, Kimbrell B, Salim A, et al. Trauma deaths in a mature urban trauma system: is "trimodal" distribution a valid concept? J Am Coll Surg 2005; 201:343.](#) [Demetriades D, Murray J, Charalambides K, et al. Trauma fatalities: time and location of hospital deaths. J Am Coll Surg 2004; 198:20.](#) American College of Surgeons Committee on Trauma. Advanced Trauma Life Support (ATLS) Student Course Manual, 9th ed, American College of Surgeons, Chicago 2012. [Kotwal RS, Howard JT, Orman JA, et al. The Effect of a Golden Hour Policy on the Morbidity and Mortality of Combat Casualties. JAMA Surg 2016; 151:15.](#) [Newgard CD, Schmicker RH, Hedges JR, et al. Emergency medical services intervals and survival in trauma: assessment of the "golden hour" in a North American prospective cohort. Ann Emerg Med 2010; 55:235.](#) [Newgard CD, Meier EN, Bulger EM, et al. Revisiting the "Golden Hour": An](#)

[Evaluation of Out-of-Hospital Time in Shock and Traumatic Brain Injury. Ann Emerg Med 2015; 66:30.](#) [Palanca S, Taylor DM, Bailey M, Cameron PA. Mechanisms of motor vehicle accidents that predict major injury. Emerg Med \(Fremantle\) 2003; 15:423.](#) [Lerner EB, Shah MN, Cushman JT, et al. Does mechanism of injury predict trauma center need? Prehosp Emerg Care 2011; 15:518.](#) [Haider AH, Chang DC, Haut ER, et al. Mechanism of injury predicts patient mortality and impairment after blunt trauma. J Surg Res 2009; 153:138.](#) [Conroy C, Tominaga GT, Erwin S, et al. The influence of vehicle damage on injury severity of drivers in head-on motor vehicle crashes. Accid Anal Prev 2008; 40:1589.](#) [Helmreich R, Musson D, Sexton J. Human factors and safety in surgery. In: Surgical Patient Safety: Essential Information for Surgeons in Today's Environment, 1st ed, Manuel B, Nora P \(Eds\), American College of Surgeons, Chicago 2004.](#) [Mackersie RC. Pitfalls in the evaluation and resuscitation of the trauma patient. Emerg Med Clin North Am 2010; 28:1.](#) [Kaufman EJ, Richmond TS, Wiebe DJ, et al. Patient Experiences of Trauma Resuscitation. JAMA Surg 2017; 152:843.](#) [Kirkpatrick AW, Ball CG, D'Amours SK, Zygun D. Acute resuscitation of the unstable adult trauma patient: bedside diagnosis and therapy. Can J Surg 2008; 51:57.](#) [Seamon MJ, Feather C, Smith BP, et al. Just one drop: the significance of a single hypotensive blood pressure reading during trauma resuscitations. J Trauma 2010; 68:1289.](#) [Lipsky AM, Gausche-Hill M, Henneman PL, et al. Prehospital hypotension is a predictor of the need for an emergent, therapeutic operation in trauma patients with normal systolic blood pressure in the emergency department. J Trauma 2006; 61:1228.](#) [Chesnut RM, Marshall LF, Klauber MR, et al. The role of secondary brain injury in determining outcome from severe head injury. J Trauma 1993; 34:216.](#) [Hussain LM, Redmond AD. Are pre-hospital deaths from accidental injury preventable? BMJ 1994; 308:1077.](#) [Esposito TJ, Sanddal ND, Hansen JD, Reynolds S. Analysis of preventable trauma deaths and inappropriate trauma care in a rural state. J Trauma 1995; 39:955.](#) [Smith KA, High K, Collins SP, Self WH. A preprocedural checklist improves the safety of emergency department intubation of trauma patients. Acad Emerg Med 2015; 22:989.](#) [Conroy MJ, Weingart GS, Carlson JN. Impact of checklists on peri-intubation care in ED trauma patients. Am J Emerg Med 2014; 32:541.](#) [Tobin JM, Grabinsky A, McCunn M, et al. A checklist for trauma and emergency anesthesia. Anesth Analg 2013; 117:1178.](#) [Sherren PB, Tricklebank S, Glover G. Development of a standard operating procedure and checklist for rapid sequence induction in the critically ill. Scand J Trauma Resusc Emerg Med 2014; 22:41.](#) [Walls, RM, Murphy, MM. Manual of Emergency Airway Management, 3rd, Lippincott Williams & Wilkins, Philadelphia 2008.](#) [Brown CA 3rd, Bair AE, Pallin DJ, et al. Improved glottic exposure with the Video Macintosh Laryngoscope in adult emergency department tracheal intubations. Ann Emerg Med 2010; 56:83.](#) [Raja AS, Sullivan AF, Pallin DJ, et al. Adoption of video laryngoscopy in Massachusetts emergency departments. J Emerg Med 2012; 42:233.](#) [Strube P, Jarvis J. Experience with a patient having multiple gunshot wounds in combat. AANA J 2008; 76:11.](#) [Thiboutot F, Nicole PC, TrÃ©panier CA, et al. Effect of manual in-line stabilization of the cervical spine in adults on the rate of difficult orotracheal intubation by direct laryngoscopy: a randomized controlled trial. Can J Anaesth 2009; 56:412.](#) [Green RS, Butler MB, Erdogan M. Increased mortality in trauma patients who develop post-intubation hypotension. J Trauma Acute Care Surg 2017.](#) [Velopulos CG, Shihab HM, Lottenberg L, et al. Prehospital spine immobilization/spinal motion restriction in penetrating trauma: A practice management guideline from the Eastern Association for the Surgery of Trauma \(EAST\). J Trauma Acute Care Surg 2018; 84:736.](#) [Vanderlan WB, Tew BE, McSwain NE Jr. Increased risk of death with cervical](#)

[spine immobilisation in penetrating cervical trauma. Injury 2009; 40:880.](#) [Haut ER, Kalish BT, Efron DT, et al. Spine immobilization in penetrating trauma: more harm than good? J Trauma 2010; 68:115.](#) [Kaups KL, Davis JW. Patients with gunshot wounds to the head do not require cervical spine immobilization and evaluation. J Trauma 1998; 44:865.](#) [Kennedy FR, Gonzalez P, Beitler A, et al. Incidence of cervical spine injury in patients with gunshot wounds to the head. South Med J 1994; 87:621.](#) [Brimacombe J, Keller C, KÄ¼nzl KH, et al. Cervical spine motion during airway management: a cinefluoroscopic study of the posteriorly destabilized third cervical vertebrae in human cadavers. Anesth Analg 2000; 91:1274.](#) [Donaldson WF 3rd, Heil BV, Donaldson VP, Silvaggio VJ. The effect of airway maneuvers on the unstable C1-C2 segment. A cadaver study. Spine \(Phila Pa 1976\) 1997; 22:1215.](#) [Gerling MC, Davis DP, Hamilton RS, et al. Effects of cervical spine immobilization technique and laryngoscope blade selection on an unstable cervical spine in a cadaver model of intubation. Ann Emerg Med 2000; 36:293.](#) [Hastings RH, Kelley SD. Neurologic deterioration associated with airway management in a cervical spine-injured patient. Anesthesiology 1993; 78:580.](#) [Liang BA, Cheng MA, Tempelhoff R. Efforts at intubation: cervical injury in an emergency circumstance? J Clin Anesth 1999; 11:349.](#) [Muckart DJ, Bhagwanjee S, van der Merwe R. Spinal cord injury as a result of endotracheal intubation in patients with undiagnosed cervical spine fractures. Anesthesiology 1997; 87:418.](#) [Raja AS, Jacobus CH. How accurate is ultrasonography for excluding pneumothorax? Ann Emerg Med 2013; 61:207.](#) [Zengerink I, Brink PR, Laupland KB, et al. Needle thoracostomy in the treatment of a tension pneumothorax in trauma patients: what size needle? J Trauma 2008; 64:111.](#) [Ahmed N, Greenberg P, Johnson VM, Davis JM. Risk stratification of survival in injured patients with cardiopulmonary resuscitation within the first hour of arrival to trauma centre: retrospective analysis from the national trauma data bank. Emerg Med J 2017; 34:282.](#) [Reisfeld RA. Pre-clinical models for immunotherapy of melanoma. Prog Clin Biol Res 1989; 288:183.](#)

Mody L, Riddell J, Kaye K, Chopra T. Common infections. In: Current Diagnosis & Treatment: Geriatrics, 2nd ed, Williams BA, Chang A, Ahalt C, et al (Eds), McGraw-Hill Education, 2014. [Gomez CR, Boehmer ED, Kovacs EJ. The aging innate immune system. Curr Opin Immunol 2005; 17:457.](#) [Castle SC, Uyemura K, Fulop T, Makinodan T. Host resistance and immune responses in advanced age. Clin Geriatr Med 2007; 23:463.](#) [Weiskopf D, Weinberger B, Grubeck-Loebenstien B. The aging of the immune system. Transpl Int 2009; 22:1041.](#) [Panda A, Qian F, Mohanty S, et al. Age-associated decrease in TLR function in primary human dendritic cells predicts influenza vaccine response. J Immunol 2010; 184:2518.](#) [Goronzy JJ, Fulbright JW, Crowson CS, et al. Value of immunological markers in predicting responsiveness to influenza vaccination in elderly individuals. J Virol 2001; 75:12182.](#) [Lefebvre JS, Haynes L. Aging of the CD4 T Cell Compartment. Open Longev Sci 2012; 6:83.](#) [Scholz JL, Diaz A, Riley RL, et al. A comparative review of aging and B cell function in mice and humans. Curr Opin Immunol 2013; 25:504.](#) [ListÄ F, Candore G, Modica MA, et al. A study of serum immunoglobulin levels in elderly persons that provides new insights into B cell immunosenescence. Ann N Y Acad Sci 2006; 1089:487.](#) [Pfister G, Weiskopf D, Lazuardi L, et al. Naive T cells in the elderly: are they still there? Ann N Y Acad Sci 2006; 1067:152.](#) [Kupronis BA, Richards CL, Whitney CG, Active Bacterial Core Surveillance Team. Invasive pneumococcal disease in older adults residing in long-term care facilities and in the community. J Am Geriatr Soc 2003; 51:1520.](#) [O'Fallon E, Schreiber R,](#)

[Kandel R, D'Agata EM. Multidrug-resistant gram-negative bacteria at a long-term care facility: assessment of residents, healthcare workers, and inanimate surfaces. Infect Control Hosp Epidemiol 2009; 30:1172.](#) [Wang L, Lansing B, Symons K, et al. Infection rate and colonization with antibiotic-resistant organisms in skilled nursing facility residents with indwelling devices. Eur J Clin Microbiol Infect Dis 2012; 31:1797.](#) [Flannery EL, Wang L, Zillner S, et al. Wounds, functional disability, and indwelling devices are associated with cocolonization by methicillin-resistant Staphylococcus aureus and vancomycin-resistant enterococci in southeast Michigan. Clin Infect Dis 2011; 53:1215.](#) [Daneman N, Bronskill SE, Gruneir A, et al. Variability in Antibiotic Use Across Nursing Homes and the Risk of Antibiotic-Related Adverse Outcomes for Individual Residents. JAMA Intern Med 2015; 175:1331.](#) [Peron EP, Hirsch AA, Jury LA, et al. Another setting for stewardship: high rate of unnecessary antimicrobial use in a veterans affairs long-term care facility. J Am Geriatr Soc 2013; 61:289.](#) [Jump RLP, Crnich CJ, Mody L, et al. Infectious Diseases in Older Adults of Long-Term Care Facilities: Update on Approach to Diagnosis and Management. J Am Geriatr Soc 2018; 66:789.](#) [Wunderlich CA. On the Temperature in Diseases: A Manual of Medical Thermometry, William Wood and Co, New York 1871. p.46.](#) [Osler W. The Principles and Practice of Medicine, D. Appleton, New York 1982. p.517.](#) [Caterino JM, Kline DM, Leininger R, et al. Nonspecific Symptoms Lack Diagnostic Accuracy for Infection in Older Patients in the Emergency Department. J Am Geriatr Soc 2019; 67:484.](#) [Eke-Usim AC, Rogers MA, Gibson KE, et al. Constitutional Symptoms Trigger Diagnostic Testing Before Antibiotic Prescribing in High-Risk Nursing Home Residents. J Am Geriatr Soc 2016; 64:1975.](#) [Takada T, Yamamoto Y, Terada K, et al. Diagnostic utility of appetite loss in addition to existing prediction models for community-acquired pneumonia in the elderly: a prospective diagnostic study in acute care hospitals in Japan. BMJ Open 2017; 7:e019155.](#) [Mayne S, Sundvall PD, Gunnarsson R. Confusion Strongly Associated with Antibiotic Prescribing Due to Suspected Urinary Tract Infections in Nursing Homes. J Am Geriatr Soc 2018; 66:274.](#) [van Duin D. Diagnostic challenges and opportunities in older adults with infectious diseases. Clin Infect Dis 2012; 54:973.](#) [Huang DT, Yealy DM, Filbin MR, et al. Procalcitonin-Guided Use of Antibiotics for Lower Respiratory Tract Infection. N Engl J Med 2018; 379:236.](#) [Norman DC. Fever in the elderly. Clin Infect Dis 2000; 31:148.](#) [Henschke PJ. Infections in the elderly. Med J Aust 1993; 158:830.](#) [Musgrave T, Verghese A. Clinical features of pneumonia in the elderly. Semin Respir Infect 1990; 5:269.](#) [Bender BS, Scarpace PJ. Fever in the Elderly. In: Fever: Basic Mechanisms and Management, MacKowiak PA \(Ed\), Lippincott-Raven, Philadelphia 1997. p.363.](#) [High KP, Bradley SF, Gravenstein S, et al. Clinical practice guideline for the evaluation of fever and infection in older adult residents of long-term care facilities: 2008 update by the Infectious Diseases Society of America. Clin Infect Dis 2009; 48:149.](#) [Castle SC, Yeh M, Toledo SD, et al. Lowering the fever criteria improves detection of infections in nursing home residents. Aging Immunol Infect Dis 1993; 4:67.](#) [Kollef MH. The importance of appropriate initial antibiotic therapy for hospital-acquired infections. Am J Med 2003; 115:582.](#) [Herring AR, Williamson JC. Principles of antimicrobial use in older adults. Clin Geriatr Med 2007; 23:481.](#) [Drusano GL, Preston SL, Fowler C, et al. Relationship between fluoroquinolone area under the curve: minimum inhibitory concentration ratio and the probability of eradication of the infecting pathogen, in patients with nosocomial pneumonia. J Infect Dis 2004; 189:1590.](#) [Bradley SF. Issues in the management of resistant bacteria in long-term-care facilities. Infect Control Hosp Epidemiol 1999; 20:362.](#) [McElligott M, Welham G, Pop-Vicas A, et al. Antibiotic Stewardship in Nursing Facilities.](#)

[Infect Dis Clin North Am 2017; 31:619.](#) [Crnich CJ, Jump R, Trautner B, et al. Optimizing Antibiotic Stewardship in Nursing Homes: A Narrative Review and Recommendations for Improvement. Drugs Aging 2015; 32:699.](#) [Foxman B, Brown P. Epidemiology of urinary tract infections: transmission and risk factors, incidence, and costs. Infect Dis Clin North Am 2003; 17:227.](#) [Mody L, Juthani-Mehta M. Urinary tract infections in older women: a clinical review. JAMA 2014; 311:844.](#) [Nace DA, Drinka PJ, Crnich CJ. Clinical uncertainties in the approach to long term care residents with possible urinary tract infection. J Am Med Dir Assoc 2014; 15:133.](#) [Dasgupta M, Brymer C, Elsayed S. Treatment of asymptomatic UTI in older delirious medical in-patients: A prospective cohort study. Arch Gerontol Geriatr 2017; 72:127.](#) [Sundvall PD, Ulleryd P, Gunnarsson RK. Urine culture doubtful in determining etiology of diffuse symptoms among elderly individuals: a cross-sectional study of 32 nursing homes. BMC Fam Pract 2011; 12:36.](#) [Sundvall PD, Elm M, Ulleryd P, et al. Interleukin-6 concentrations in the urine and dipstick analyses were related to bacteriuria but not symptoms in the elderly: a cross sectional study of 421 nursing home residents. BMC Geriatr 2014; 14:88.](#) [Potts L, Cross S, MacLennan WJ, Watt B. A double-blind comparative study of norfloxacin versus placebo in hospitalised elderly patients with asymptomatic bacteriuria. Arch Gerontol Geriatr 1996; 23:153.](#) [Balogun SA, Philbrick JT. Delirium, a Symptom of UTI in the Elderly: Fact or Fable? A Systematic Review. Can Geriatr J 2014; 17:22.](#) [McKenzie R, Stewart MT, Bellantoni MF, Finucane TE. Bacteriuria in individuals who become delirious. Am J Med 2014; 127:255.](#) [Loeb M, Bentley DW, Bradley S, et al. Development of minimum criteria for the initiation of antibiotics in residents of long-term-care facilities: results of a consensus conference. Infect Control Hosp Epidemiol 2001; 22:120.](#) [Loeb M, Brazil K, Lohfeld L, et al. Effect of a multifaceted intervention on number of antimicrobial prescriptions for suspected urinary tract infections in residents of nursing homes: cluster randomised controlled trial. BMJ 2005; 331:669.](#) [Hilt EE, McKinley K, Pearce MM, et al. Urine is not sterile: use of enhanced urine culture techniques to detect resident bacterial flora in the adult female bladder. J Clin Microbiol 2014; 52:871.](#) [Cai T, Mazzoli S, Mondaini N, et al. The role of asymptomatic bacteriuria in young women with recurrent urinary tract infections: to treat or not to treat? Clin Infect Dis 2012; 55:771.](#) [Juthani-Mehta M. Asymptomatic bacteriuria and urinary tract infection in older adults. Clin Geriatr Med 2007; 23:585.](#) [Knottnerus BJ, Geerlings SE, Moll van Charante EP, ter Riet G. Women with symptoms of uncomplicated urinary tract infection are often willing to delay antibiotic treatment: a prospective cohort study. BMC Fam Pract 2013; 14:71.](#) [Gharbi M, Drysdale JH, Lishman H, et al. Antibiotic management of urinary tract infection in elderly patients in primary care and its association with bloodstream infections and all cause mortality: population based cohort study. BMJ 2019; 364:l525.](#) [Cardone S, Petruzzello C, Migneco A, et al. Age-related Trends in Adults with Urinary Tract Infections Presenting to the Emergency Department: A 5-Year Experience. Rev Recent Clin Trials 2019; 14:147.](#) [Kaplan V, Angus DC, Griffin MF, et al. Hospitalized community-acquired pneumonia in the elderly: age- and sex-related patterns of care and outcome in the United States. Am J Respir Crit Care Med 2002; 165:766.](#) [Jackson ML, Neuzil KM, Thompson WW, et al. The burden of community-acquired pneumonia in seniors: results of a population-based study. Clin Infect Dis 2004; 39:1642.](#) [Fry AM, Shay DK, Holman RC, et al. Trends in hospitalizations for pneumonia among persons aged 65 years or older in the United States, 1988-2002. JAMA 2005; 294:2712.](#) [Donowitz GR, Cox HL. Bacterial community-acquired pneumonia in older patients. Clin Geriatr Med 2007; 23:515.](#) [El-Solh AA, Sikka P, Ramadan F,](#)



[Davies J. Etiology of severe pneumonia in the very elderly. Am J Respir Crit Care Med 2001; 163:645.](#) [Mandell LA, Bartlett JG, Dowell SF, et al. Update of practice guidelines for the management of community-acquired pneumonia in immunocompetent adults. Clin Infect Dis 2003; 37:1405.](#) [Vila-Cãrcoles A, Ochoa-Gondar O, Hospital I, et al. Protective effects of the 23-valent pneumococcal polysaccharide vaccine in the elderly population: the EVAN-65 study. Clin Infect Dis 2006; 43:860.](#) [Jackson LA, Neuzil KM, Yu O, et al. Effectiveness of pneumococcal polysaccharide vaccine in older adults. N Engl J Med 2003; 348:1747.](#) [Loeb MB, Becker M, Eady A, Walker-Dilks C. Interventions to prevent aspiration pneumonia in older adults: a systematic review. J Am Geriatr Soc 2003; 51:1018.](#) [Logemann JA, Gensler G, Robbins J, et al. A randomized study of three interventions for aspiration of thin liquids in patients with dementia or Parkinson's disease. J Speech Lang Hear Res 2008; 51:173.](#) [Robbins J, Gensler G, Hind J, et al. Comparison of 2 interventions for liquid aspiration on pneumonia incidence: a randomized trial. Ann Intern Med 2008; 148:509.](#) [Hollaar VRY, van der Putten GJ, van der Maarel-Wierink CD, et al. The effect of a daily application of a 0.05% chlorhexidine oral rinse solution on the incidence of aspiration pneumonia in nursing home residents: a multicenter study. BMC Geriatr 2017; 17:128.](#) [Filion KB. Proton pump inhibitors and community acquired pneumonia. BMJ 2016; 355:i6041.](#) [Thompson WW, Shay DK, Weintraub E, et al. Influenza-associated hospitalizations in the United States. JAMA 2004; 292:1333.](#) [Zhou H, Thompson WW, Viboud CG, et al. Hospitalizations associated with influenza and respiratory syncytial virus in the United States, 1993-2008. Clin Infect Dis 2012; 54:1427.](#) [Thompson WW, Shay DK, Weintraub E, et al. Mortality associated with influenza and respiratory syncytial virus in the United States. JAMA 2003; 289:179.](#) [van Asten L, van den Wijngaard C, van Pelt W, et al. Mortality attributable to 9 common infections: significant effect of influenza A, respiratory syncytial virus, influenza B, norovirus, and parainfluenza in elderly persons. J Infect Dis 2012; 206:628.](#) [Gavazzi G, Mallaret MR, Couturier P, et al. Bloodstream infection: differences between young-old, old, and old-old patients. J Am Geriatr Soc 2002; 50:1667.](#) [Pien BC, Sundaram P, Raof N, et al. The clinical and prognostic importance of positive blood cultures in adults. Am J Med 2010; 123:819.](#)

[Lima V, Burt B, Leibovitch I, et al. Orbital compartment syndrome: the ophthalmic surgical emergency. Surv Ophthalmol 2009; 54:441.](#) [Traumatic retrobulbar hemorrhage. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition, Ehlers JP, Shah CP \(Eds\), Lippincott Williams & Wilkins, Philadelphia 2008. p.30.](#) [Sun MT, Chan WO, Selva D. Traumatic orbital compartment syndrome: importance of the lateral canthomy and cantholysis. Emerg Med Australas 2014; 26:274.](#) [Vassallo S, Hartstein M, Howard D, Stetz J. Traumatic retrobulbar hemorrhage: emergent decompression by lateral canthotomy and cantholysis. J Emerg Med 2002; 22:251.](#) [Vitreous hemorrhage. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition, Ehlers JP, Shah CP \(Eds\), Lippincott Williams & Wilkins, Philadelphia 2008. p.296.](#) [Retina. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition, Ehlers JP, Shah CP \(Eds\), Lippincott Williams & Wilkins, Philadelphia 2008. p.274.](#) [Trauma. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition, Ehlers JP, Shah CP \(Eds\), Lippincott Williams & Wilkins, Philadelphia 2008. p.12.](#) [Yu-Wai-Man P, Griffiths PG. Surgery for traumatic optic neuropathy. Cochrane Database Syst Rev 2013; 6:CD005024.](#) [Andrews BT, Jackson AS, Nazir N, et al. Orbit fractures: Identifying patient factors](#)

[indicating high risk for ocular and periocular injury. Laryngoscope 2016; 126 Suppl 4:S5.](#) [Patel MM, Chee YE, Elliott D. Choroidal rupture: a review. Int Ophthalmol Clin 2013; 53:69.](#) [Papakostas TD, Yonekawa Y, Skondra D, Vavvas DG. Traumatic chorioretinal rupture \(sclopetaria\). Int Ophthalmol Clin 2013; 53:119.](#)

Rose BD, Post TW. Clinical Physiology of Acid-Base and Electrolyte Disorders, 5th ed, McGraw-Hill, New York 2001. p.328. Rose BD, Post TW. Clinical Physiology of Acid-Base and Electrolyte Disorders, 5th ed, McGraw-Hill, New York City 2001. p.307. [Cengiz M, Ulker P, Meiselman HJ, Baskurt OK. Influence of tourniquet application on venous blood sampling for serum chemistry, hematological parameters, leukocyte activation and erythrocyte mechanical properties. Clin Chem Lab Med 2009; 47:769.](#) [Kelly AM, Kyle E, McAlpine R. Venous pCO<sub>2</sub> and pH can be used to screen for significant hypercarbia in emergency patients with acute respiratory disease. J Emerg Med 2002; 22:15.](#) [Malatesha G, Singh NK, Bharija A, et al. Comparison of arterial and venous pH, bicarbonate, PCO<sub>2</sub> and PO<sub>2</sub> in initial emergency department assessment. Emerg Med J 2007; 24:569.](#) [Chu YC, Chen CZ, Lee CH, et al. Prediction of arterial blood gas values from venous blood gas values in patients with acute respiratory failure receiving mechanical ventilation. J Formos Med Assoc 2003; 102:539.](#) [Malinoski DJ, Todd SR, Slone S, et al. Correlation of central venous and arterial blood gas measurements in mechanically ventilated trauma patients. Arch Surg 2005; 140:1122.](#) [Walkey AJ, Farber HW, O'Donnell C, et al. The accuracy of the central venous blood gas for acid-base monitoring. J Intensive Care Med 2010; 25:104.](#) [Adrogu  HJ, Madias NE. Secondary responses to altered acid-base status: the rules of engagement. J Am Soc Nephrol 2010; 21:920.](#) [Wiederseiner JM, Muser J, Lutz T, et al. Acute metabolic acidosis: characterization and diagnosis of the disorder and the plasma potassium response. J Am Soc Nephrol 2004; 15:1589.](#) [Pierce NF, Fedson DS, Brigham KL, et al. The ventilatory response to acute base deficit in humans. Time course during development and correction of metabolic acidosis. Ann Intern Med 1970; 72:633.](#) Rose BD, Post TW. Clinical Physiology of Acid-Base and Electrolyte Disorders, 5th ed, McGraw-Hill, New York City 2001. p.542. [Bushinsky DA, Coe FL, Katzenberg C, et al. Arterial PCO<sub>2</sub> in chronic metabolic acidosis. Kidney Int 1982; 22:311.](#) [Daniel SR, Morita SY, Yu M, Dzierba A. Uncompensated metabolic acidosis: an underrecognized risk factor for subsequent intubation requirement. J Trauma 2004; 57:993.](#) [Albert MS, Dell RB, Winters RW. Quantitative displacement of acid-base equilibrium in metabolic acidosis. Ann Intern Med 1967; 66:312.](#) [Fulop M. A guide for predicting arterial CO<sub>2</sub> tension in metabolic acidosis. Am J Nephrol 1997; 17:421.](#) [Javaheri S, Shore NS, Rose B, Kazemi H. Compensatory hypoventilation in metabolic alkalosis. Chest 1982; 81:296.](#) [Javaheri S, Kazemi H. Metabolic alkalosis and hypoventilation in humans. Am Rev Respir Dis 1987; 136:1011.](#) [POLAK A, HAYNIE GD, HAYS RM, SCHWARTZ WB. Effects of chronic hypercapnia on electrolyte and acid-base equilibrium. I. Adaptation. J Clin Invest 1961; 40:1223.](#) [Van Yperselle de Striho, Brasseur L, De Coninck JD. The "carbon dioxide response curve" for chronic hypercapnia in man. N Engl J Med 1966; 275:117.](#) [VAN YPERSELE DE STRIHOU C, GULYASSY PF, SCHWARTZ WB. Effects of chronic hypercapnia on electrolyte and acid-base equilibrium. III. Characteristics of the adaptive and recovery process as evaluated by provision of alkali. J Clin Invest 1962; 41:2246.](#) [Arbus GS, Herbert LA, Levesque PR, et al. Characterization and clinical application of the "significance band" for acute respiratory alkalosis. N Engl J Med 1969; 280:117.](#) [Brackett NC Jr, Wingo CF, Muren O, Solano JT. Acid-base response to chronic](#)

[hypercapnia in man. N Engl J Med 1969; 280:124.](#) [Martinu T, Menzies D, Dial S. Re-evaluation of acid-base prediction rules in patients with chronic respiratory acidosis. Can Respir J 2003; 10:311.](#) [Krapf R, Beeler I, Hertner D, Hulter HN. Chronic respiratory alkalosis. The effect of sustained hyperventilation on renal regulation of acid](#)

[Consensus paper on the surveillance of surgical wound infections. The Society for Hospital Epidemiology of America; The Association for Practitioners in Infection Control; The Centers for Disease Control; The Surgical Infection Society. Infect Control Hosp Epidemiol 1992; 13:599.](#) [Horan TC, Gaynes RP, Martone WJ, et al. CDC definitions of nosocomial surgical site infections, 1992: a modification of CDC definitions of surgical wound infections. Am J Infect Control 1992; 20:271.](#) [Global guidelines for the prevention of surgical site infection. World Health Organization 2016](#)

[https://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0095752/pdf/PubMedHealth\\_PMH0095752.pdf](https://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0095752/pdf/PubMedHealth_PMH0095752.pdf) (Accessed on September 19, 2017). [Anderson DJ, Podgorny K, BerrÃos-Torres SI, et al. Strategies to prevent surgical site infections in acute care hospitals: 2014 update. Infect Control Hosp Epidemiol 2014; 35:605.](#) [Bratzler DW, Dellinger EP, Olsen KM, et al. Clinical practice guidelines for antimicrobial prophylaxis in surgery. Surg Infect \(Larchmt\) 2013; 14:73.](#) [Ban KA, Minei JP, Laronga C, et al. American College of Surgeons and Surgical Infection Society: Surgical Site Infection Guidelines, 2016 Update. J Am Coll Surg 2017; 224:59.](#) [BerrÃos-Torres SI, Umscheid CA, Bratzler DW, et al. Centers for Disease Control and Prevention Guideline for the Prevention of Surgical Site Infection, 2017. JAMA Surg 2017; 152:784.](#) [Bratzler DW, Hunt DR. The surgical infection prevention and surgical care improvement projects: national initiatives to improve outcomes for patients having surgery. Clin Infect Dis 2006; 43:322.](#) [Dellinger EP, Hausmann SM, Bratzler DW, et al. Hospitals collaborate to decrease surgical site infections. Am J Surg 2005; 190:9.](#) [Stulberg JJ, Delaney CP, Neuhauser DV, et al. Adherence to surgical care improvement project measures and the association with postoperative infections. JAMA 2010; 303:2479.](#) [Hennessey DB, Burke JP, Ni-Dhonocho T, et al. Preoperative hypoalbuminemia is an independent risk factor for the development of surgical site infection following gastrointestinal surgery: a multi-institutional study. Ann Surg 2010; 252:325.](#) [Brennan MF, Pisters PW, Posner M, et al. A prospective randomized trial of total parenteral nutrition after major pancreatic resection for malignancy. Ann Surg 1994; 220:436.](#) [Veterans Affairs Total Parenteral Nutrition Cooperative Study Group. Perioperative total parenteral nutrition in surgical patients. N Engl J Med 1991; 325:525.](#) [Marimuthu K, Varadhan KK, Ljungqvist O, Lobo DN. A meta-analysis of the effect of combinations of immune modulating nutrients on outcome in patients undergoing major open gastrointestinal surgery. Ann Surg 2012; 255:1060.](#) [Gandaglia G, Ghani KR, Sood A, et al. Effect of minimally invasive surgery on the risk for surgical site infections: results from the National Surgical Quality Improvement Program \(NSQIP\) Database. JAMA Surg 2014; 149:1039.](#) [Gaynes RP, Culver DH, Horan TC, et al. Surgical site infection \(SSI\) rates in the United States, 1992-1998: the National Nosocomial Infections Surveillance System basic SSI risk index. Clin Infect Dis 2001; 33 Suppl 2:S69.](#) [Nolan MB, Martin DP, Thompson R, et al. Association Between Smoking Status, Preoperative Exhaled Carbon Monoxide Levels, and Postoperative Surgical Site Infection in Patients Undergoing Elective Surgery. JAMA Surg 2017; 152:476.](#) [Sorensen LT, Karlsmark T, Gottrup F. Abstinence from smoking reduces incisional wound infection: a randomized controlled trial. Ann Surg 2003; 238:1.](#) [NÃ¥sell H, Adami J,](#)



[Samnegård E, et al. Effect of smoking cessation intervention on results of acute fracture surgery: a randomized controlled trial. J Bone Joint Surg Am 2010; 92:1335.](#)

[Myles PS, Iacono GA, Hunt JO, et al. Risk of respiratory complications and wound infection in patients undergoing ambulatory surgery: smokers versus nonsmokers. Anesthesiology 2002; 97:842.](#)

[Müller AM, Villebro N, Pedersen T, Tønnesen H. Effect of preoperative smoking intervention on postoperative complications: a randomised clinical trial. Lancet 2002; 359:114.](#)

[Goltsman D, Munabi NC, Ascherman JA. The Association between Smoking and Plastic Surgery Outcomes in 40,465 Patients: An Analysis of the American College of Surgeons National Surgical Quality Improvement Program Data Sets. Plast Reconstr Surg 2017; 139:503.](#)

[Krpata DM, Haskins IN, Phillips S, et al. Does Preoperative Bowel Preparation Reduce Surgical Site Infections During Elective Ventral Hernia Repair? J Am Coll Surg 2017; 224:204.](#)

[Fan CJ, Pawlik TM, Daniels T, et al. Association of Safety Culture with Surgical Site Infection Outcomes. J Am Coll Surg 2016; 222:122.](#)

[Haley RW, Quade D, Freeman HE, Bennett JV. The SENIC Project. Study on the efficacy of nosocomial infection control \(SENIC Project\). Summary of study design. Am J Epidemiol 1980; 111:472.](#)

[Haley RW, Culver DH, White JW, et al. The efficacy of infection surveillance and control programs in preventing nosocomial infections in US hospitals. Am J Epidemiol 1985; 121:182.](#)

[Liu Z, Dumville JC, Norman G, et al. Intraoperative interventions for preventing surgical site infection: an overview of Cochrane Reviews. Cochrane Database Syst Rev 2018; 2:CD012653.](#)

[Ploegmakers IB, Olde Damink SW, Breukink SO. Alternatives to antibiotics for prevention of surgical infection. Br J Surg 2017; 104:e24.](#)

[Mangram AJ, Horan TC, Pearson ML, et al. Guideline for prevention of surgical site infection, 1999. Hospital Infection Control Practices Advisory Committee. Infect Control Hosp Epidemiol 1999; 20:250.](#)

[Condon RE, Schulte WJ, Malangoni MA, Anderson-Teschendorf MJ. Effectiveness of a surgical wound surveillance program. Arch Surg 1983; 118:303.](#)

[Olson MM, Lee JT Jr. Continuous, 10-year wound infection surveillance. Results, advantages, and unanswered questions. Arch Surg 1990; 125:794.](#)

[Mangram AJ, Horan TC, Pearson ML, et al. Guideline for Prevention of Surgical Site Infection, 1999. Centers for Disease Control and Prevention \(CDC\) Hospital Infection Control Practices Advisory Committee. Am J Infect Control 1999; 27:97.](#)

[Avato JL, Lai KK. Impact of postdischarge surveillance on surgical-site infection rates for coronary artery bypass procedures. Infect Control Hosp Epidemiol 2002; 23:364.](#)

[Sands K, Vineyard G, Livingston J, et al. Efficient identification of postdischarge surgical site infections: use of automated pharmacy dispensing information, administrative data, and medical record information. J Infect Dis 1999; 179:434.](#)

[Sands KE, Yokoe DS, Hooper DC, et al. Detection of postoperative surgical-site infections: comparison of health plan-based surveillance with hospital-based programs. Infect Control Hosp Epidemiol 2003; 24:741.](#)

[Petherick ES, Dalton JE, Moore PJ, Cullum N. Methods for identifying surgical wound infection after discharge from hospital: a systematic review. BMC Infect Dis 2006; 6:170.](#)

[Anderson DJ, Chen LF, Sexton DJ, Kaye KS. Complex surgical site infections and the devilish details of risk adjustment: important implications for public reporting. Infect Control Hosp Epidemiol 2008; 29:941.](#)