Lumbar Puncture:

Gorelick PB, Biller J. Lumbar puncture. Technique, indications, and complications. Postgrad Med 1986; 79:257. The diagnostic spinal tap. Health and Public Policy Committee, American College of Physicians. Ann Intern Med 1986; 104:880. Vermeulen M, van Gijn J. The diagnosis of subarachnoid haemorrhage. J Neurol Neurosurg Psychiatry 1990; 53:365. Marton KI, Gean AD. The spinal tap: a new look at an old test. Ann Intern Med 1986; 104:840. Sternbach G. Lumbar puncture. J Emerg Med 1985; 2:199. Margarido CB, Mikhael R, Arzola C, et al. The intercristal line determined by palpation is not a reliable anatomical landmark for neuraxial anesthesia. Can J Anaesth 2011; 58:262. Chakraverty R, Pynsent P, Isaacs K. Which spinal levels are identified by palpation of the iliac crests and the posterior superior iliac spines? J Anat 2007; 210:232. Shrestha GS, Acharya SP, Keyal N, et al. Successful lumbar puncture with Taylor's approach for the diagnostic workup of meningitis in a patient with Ankylosing spondylitis. Indian J Crit Care Med 2015; 19:618. Scott M, Stones J, Payne N. Antiseptic solutions for central neuraxial blockade: which concentration of chlorhexidine in alcohol should we use? Br J Anaesth 2009; 103:456; author reply 456. Hebl JR. The importance and implications of aseptic techniques during regional anesthesia. Reg Anesth Pain Med 2006; 31:311. Arendt KW, Segal S. Present and emerging strategies for reducing anesthesia-related maternal morbidity and mortality. Curr Opin Anaesthesiol 2009; 22:330. Greenberg BM, Williams MA. Infectious complications of temporary spinal catheter insertion for diagnosis of adult hydrocephalus and idiopathic intracranial hypertension. Neurosurgery 2008; 62:431. Sakuragi T, Yanagisawa K, Dan K. Bactericidal activity of skin disinfectants on methicillin-resistant Staphylococcus aureus. Anesth Analg 1995; 81:555. Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings 2007. Centers for Disease Control and Prevention, 2007. Schlesinger JJ, Salit IE, McCormack G. Streptococcal meningitis after myelography. Arch Neurol 1982; 39:576. de Jong J, Barrs AC. Lumbar myelography followed by meningitis. Infect Control Hosp Epidemiol 1992; 13:74. Schelkun SR, Wagner KF, Blanks JA, Reinert CM. Bacterial meningitis following Pantopaque myelography. A case report and literature review. Orthopedics 1985; 8:73. Gelfand MS, Abolnik IZ. Streptococcal meningitis complicating diagnostic myelography: three cases and review. Clin Infect Dis 1995; 20:582. Williams J, Lye DC, Umapathi T. Diagnostic lumbar puncture: minimizing complications. Intern Med J 2008; 38:587. Ravi KK, Kaul TK, Kathuria S, et al. Distance from Skin to Epidural Space: Correlation with Body Mass Index (BMI). J Anaesthesiol Clin Pharmacol 2011; 27:39. Hirabayashi Y, Matsuda I, Inoue S, Shimizu R. The distance from the skin to the epidural space. J Anesth 1988; 2:198. Ellenby MS, Tegtmeyer K, Lai S, Braner DA. Videos in clinical medicine. Lumbar puncture. N Engl J Med 2006; 355:e12. Agrawal D. Lumbar puncture. N Engl J Med 2007; 356:424; author reply 425. Baxter AL, Fisher RG, Burke BL, et al. Local anesthetic and stylet styles: factors associated with resident lumbar puncture success. Pediatrics 2006; 117:876. Rajagopal V, Lumsden DE. Best BETs from the Manchester Royal Infirmary. BET 4: does leg position alter cerebrospinal fluid opening pressure during lumbar puncture? Emerg Med J 2013; 30:771. Abel AS, Brace JR, McKinney AM, et al. Effect of patient positioning on cerebrospinal fluid opening pressure. J Neuroophthalmol 2014; 34:218. Thoennissen J, Herkner H, Lang W, et al. Does bed rest after cervical or lumbar puncture prevent headache? A systematic review and metaanalysis. CMAJ 2001; 165:1311. Arevalo-Rodriguez I, Ciapponi A, Munoz L, et al. Posture and

fluids for preventing post-dural puncture headache. Cochrane Database Syst Rev 2013; :CD009199. Abel AS, Brace JR, McKinney AM, et al. Practice patterns and opening pressure measurements using fluoroscopically guided lumbar puncture. AJNR Am J Neuroradiol 2012; 33:823. Eskey CJ, Ogilvy CS. Fluoroscopy-guided lumbar puncture: decreased frequency of traumatic tap and implications for the assessment of CT-negative acute subarachnoid hemorrhage. AJNR Am J Neuroradiol 2001; 22:571. Conroy PH, Luyet C, McCartney CJ, McHardy PG. Real-time ultrasound-guided spinal anaesthesia: a prospective observational study of a new approach. Anesthesiol Res Pract 2013; 2013:525818. Shaikh F, Brzezinski J, Alexander S, et al. Ultrasound imaging for lumbar punctures and epidural catheterisations: systematic review and meta-analysis. BMJ 2013; 346:f1720. Peterson MA, Pisupati D, Heyming TW, et al. Ultrasound for routine lumbar puncture. Acad Emerg Med 2014; 21:130. Ruff RL, Dougherty JH Jr. Complications of lumbar puncture followed by anticoagulation. Stroke 1981; 12:879. Baer ET. Post-dural puncture bacterial meningitis. Anesthesiology 2006; 105:381. Reihsaus E, Waldbaur H, Seeling W. Spinal epidural abscess: a meta-analysis of 915 patients. Neurosurg Rev 2000; 23:175. SWARTZ MN, DODGE PR. BACTERIAL MENINGITIS--A REVIEW OF SELECTED ASPECTS. I. GENERAL CLINICAL FEATURES, SPECIAL PROBLEMS AND UNUSUAL MENINGEAL REACTIONS MIMICKING BACTERIAL MENINGITIS. N Engl J Med 1965; 272:898. Domingo P, Mancebo J, Blanch L, et al. latrogenic streptococcal meningitis. Clin Infect Dis 1994; 19:356. Rubin L, Sprecher H, Kabaha A, et al. Meningitis following spinal anesthesia: 6 cases in 5 years. Infect Control Hosp Epidemiol 2007; 28:1187. PETERSDORF RG, SWARNER DR, GARCIA M. Studies on the pathogenesis of meningitis. II. Development of meningitis during pneumococcal bacteremia. J Clin Invest 1962; 41:320. Austrian CR. Experimental meningococcal meningitis. Bull Johns Hopkins Hosp 1919; 29:183. Pray LG. Lumbar puncture as a factor in the pathogenesis of meningitis. Am J Dis Child 1941; 62:295. Eng RH, Seligman SJ. Lumbar punctureinduced meningitis. JAMA 1981; 245:1456. Abolnik IZ, Eaton JV, Sexton DJ. Propionibacterium acnes vertebral osteomyelitis following lumbar puncture: case report and review. Clin Infect Dis 1995; 21:694. Findlay L, Kemp FH. Osteomyelitis of the spine following lumbar puncture. Arch Dis Child 1943; 18:102. Wald ER. Risk factors for osteomyelitis. Am J Med 1985; 78:206. Pitkänen MT, Aromaa U, Cozanitis DA, Förster JG. Serious complications associated with spinal and epidural anaesthesia in Finland from 2000 to 2009. Acta Anaesthesiol Scand 2013; 57:553. Sinclair AJ, Carroll C, Davies B. Cauda equina syndrome following a lumbar puncture. J Clin Neurosci 2009; 16:714. Adler MD, Comi AE, Walker AR. Acute hemorrhagic complication of diagnostic lumbar puncture. Pediatr Emerg Care 2001; 17:184. Lee SJ, Lin YY, Hsu CW, et al. Intraventricular hematoma, subarachnoid hematoma and spinal epidural hematoma caused by lumbar puncture: an unusual complication. Am J Med Sci 2009; 337:143. Choi S, Brull R. Neuraxial techniques in obstetric and non-obstetric patients with common bleeding diatheses. Anesth Analg 2009; 109:648. van Veen JJ, Nokes TJ, Makris M. The risk of spinal haematoma following neuraxial anaesthesia or lumbar puncture in thrombocytopenic individuals. Br J Haematol 2010; 148:15. Laible M, Beynon C, Sander P, et al. Treatment With Prothrombin Complex Concentrate to Enable Emergency Lumbar Puncture in Patients Receiving Vitamin K Antagonists. Ann Emerg Med 2016; 68:340. Horlocker TT. Low molecular weight heparin and neuraxial anesthesia. Thromb Res 2001; 101:V141. Layton KF, Kallmes DF, Horlocker TT. Recommendations for anticoagulated patients undergoing imageguided spinal procedures. AJNR Am J Neuroradiol 2006; 27:468. Heidbuchel H, Verhamme P,

Alings M, et al. Updated European Heart Rhythm Association practical guide on the use of nonvitamin-K antagonist anticoagulants in patients with non-valvular atrial fibrillation: Executive summary. Eur Heart J 2016. Horlocker TT, Wedel DJ, Schroeder DR, et al. Preoperative antiplatelet therapy does not increase the risk of spinal hematoma associated with regional anesthesia. Anesth Analg 1995; 80:303. Braun P, Kazmi K, Nogués-Meléndez P, et al. MRI findings in spinal subdural and epidural hematomas. Eur J Radiol 2007; 64:119. Vandermeulen EP, Van Aken H, Vermylen J. Anticoagulants and spinal-epidural anesthesia. Anesth Analg 1994; 79:1165. Lawton MT, Porter RW, Heiserman JE, et al. Surgical management of spinal epidural hematoma: relationship between surgical timing and neurological outcome. J Neurosurg 1995; 83:1. KOREIN J, CRAVIOTO H, LEICACH M. Reevaluation of lumbar puncture; a study of 129 patients with papilledema or intracranial hypertension. Neurology 1959; 9:290. Duffy GP. Lumbar puncture in spontaneous subarachnoid haemorrhage. Br Med J (Clin Res Ed) 1982; 285:1163. Duffy GP. Lumbar puncture in the presence of raised intracranial pressure. Br Med J 1969; 1:407. Hasbun R, Abrahams J, Jekel J, Quagliarello VJ. Computed tomography of the head before lumbar puncture in adults with suspected meningitis. N Engl J Med 2001; 345:1727. Shetty AK, Desselle BC, Craver RD, Steele RW. Fatal cerebral herniation after lumbar puncture in a patient with a normal computed tomography scan. Pediatrics 1999; 103:1284. Joffe AR. Lumbar puncture and brain herniation in acute bacterial meningitis: a review. J Intensive Care Med 2007; 22:194. Gopal AK, Whitehouse JD, Simel DL, Corey GR. Cranial computed tomography before lumbar puncture: a prospective clinical evaluation. Arch Intern Med 1999; 159:2681. van Crevel H, Hijdra A, de Gans J. Lumbar puncture and the risk of herniation: when should we first perform CT? J Neurol 2002; 249:129. Potgieter S, Dimin S, Lagae L, et al. Epidermoid tumours associated with lumbar punctures performed in early neonatal life. Dev Med Child Neurol 1998; 40:266. Ziv ET, Gordon McComb J, Krieger MD, Skaggs DL. latrogenic intraspinal epidermoid tumor: two cases and a review of the literature. Spine (Phila Pa 1976) 2004; 29:E15. Jeong IH, Lee JK, Moon KS, et al. latrogenic intraspinal epidermoid tumor: case report. Pediatr Neurosurg 2006; 42:395. Miyake S, Kobayashi N, Murai N, et al. Acquired lumbar epidermoid cyst in an adult. Neurol Med Chir (Tokyo) 2005; 45:277. Prat AcÃn R, Galeano I. Giant occipital intradiploic epidermoid cyst associated with iatrogenic puncture. Acta Neurochir (Wien) 2008; 150:413. Park JC, Chung CK, Kim HJ. latrogenic spinal epidermoid tumor. A complication of spinal puncture in an adult. Clin Neurol Neurosurg 2003; 105:281. McDonald JV, Klump TE. Intraspinal epidermoid tumors caused by lumbar puncture. Arch Neurol 1986; 43:936. Batnitzky S, Keucher TR, Mealey J Jr, Campbell RL. latrogenic intraspinal epidermoid tumors. JAMA 1977; 237:148. Béchard P, Perron G, Larochelle D, et al. Case report: epidural blood patch in the treatment of abducens palsy after a dural puncture. Can J Anaesth 2007; 54:146. Anwar S, Nalla S, Fernando DJ. Abducens nerve palsy as a complication of lumbar puncture. Eur J Intern Med 2008; 19:636. Kose KC, Cebesoy O, Karadeniz E, Bilgin S. Eye problem following foot surgery--abducens palsy as a complication of spinal anesthesia. MedGenMed 2005; 7:15. Follens I, Godts D, Evens PA, Tassignon MJ. Combined fourth and sixth cranial nerve palsy after lumbar puncture: a rare complication. A case report. Bull Soc Belge Ophtalmol 2001; :29. Evans RW. Complications of lumbar puncture. Neurol Clin 1998; 16:83. Hasegawa K, Yamamoto N. Nerve root herniation secondary to lumbar puncture in the patient with lumbar canal stenosis. A case report. Spine (Phila Pa 1976) 1999; 24:915.

Joint Athrocentesis

Stirling P, Tahir M, Atkinson HD. The Limitations of Gram-stain Microscopy of Synovial Fluid in Concomitant Septic and Crystal Arthritis. Curr Rheumatol Rev 2018; 14:255. Boumans D, Hettema ME, Vonkeman HE, et al. The added value of synovial fluid centrifugation for monosodium urate and calcium pyrophosphate crystal detection. Clin Rheumatol 2017; 36:1599. Meenagh GK, Patton J, Kynes C, Wright GD. A randomised controlled trial of intraarticular corticosteroid injection of the carpometacarpal joint of the thumb in osteoarthritis. Ann Rheum Dis 2004; 63:1260. Stahl S, Karsh-Zafrir I, Ratzon N, Rosenberg N. Comparison of intraarticular injection of depot corticosteroid and hyaluronic acid for treatment of degenerative trapeziometacarpal joints. J Clin Rheumatol 2005; 11:299. Geirsson AJ. Statkevicius S, VÄkingsson A. Septic arthritis in Iceland 1990-2002: increasing incidence due to iatrogenic infections. Ann Rheum Dis 2008; 67:638. Sibbitt WL Jr, Peisajovich A, Michael AA, et al. Does sonographic needle guidance affect the clinical outcome of intraarticular injections? J Rheumatol 2009; 36:1892. Cunnington J, Marshall N, Hide G, et al. A randomized, double-blind, controlled study of ultrasound-guided corticosteroid injection into the joint of patients with inflammatory arthritis. Arthritis Rheum 2010; 62:1862. Charalambous CP, Tryfonidis M, Sadiq S, et al. Septic arthritis following intra-articular steroid injection of the knee--a survey of current practice regarding antiseptic technique used during intra-articular steroid injection of the knee. Clin Rheumatol 2003; 22:386. Mimoz O, Karim A, Mercat A, et al. Chlorhexidine compared with povidone-iodine as skin preparation before blood culture. A randomized, controlled trial. Ann Intern Med 1999; 131:834. Polishchuk D, Gehrmann R, Tan V. Skin sterility after application of ethyl chloride spray. J Bone Joint Surg Am 2012; 94:118. Kirschke DL, Jones TF, Stratton CW, et al. Outbreak of joint and soft-tissue infections associated with injections from a multiple-dose medication vial. Clin Infect Dis 2003; 36:1369. Mattner F, Gastmeier P. Bacterial contamination of multiple-dose vials: a prevalence study. Am J Infect Control 2004; 32:12. Motamedifar M, Askarian M. The prevalence of multidose vial contamination by aerobic bacteria in a major teaching hospital, Shiraz, Iran, 2006. Am J Infect Control 2009; 37:773. Schaefer MK, Shehab N, Perz JF. Calling it 'multidose' doesn't make it so: inappropriate sharing and contamination of parenteral medication vials. Am J Infect Control 2010; 38:580. Weitoft T, Uddenfeldt P. Importance of synovial fluid aspiration when injecting intra-articular corticosteroids. Ann Rheum Dis 2000; 59:233. Thumboo J, O'Duffy JD. A prospective study of the safety of joint and soft tissue aspirations and injections in patients taking warfarin sodium. Arthritis Rheum 1998; 41:736. Salvati G, Punzi L, Pianon M, et al. [Frequency of the bleeding risk in patients receiving warfarin submitted to arthrocentesis of the knee]. Reumatismo 2003; 55:159. Ahmed I, Gertner E. Safety of arthrocentesis and joint injection in patients receiving anticoagulation at therapeutic levels. Am J Med 2012; 125:265. Yui JC, Preskill C, Greenlund LS. Arthrocentesis and Joint Injection in Patients Receiving Direct Oral Anticoagulants. Mayo Clin Proc 2017; 92:1223. Bashir MA, Ray R, Sarda P, et al. Determination of a safe INR for joint injections in patients taking warfarin. Ann R Coll Surg Engl 2015; 97:589. Conway R, O'Shea FD, Cunnane G, Doran MF. Safety of joint and soft tissue injections in patients on warfarin anticoagulation. Clin Rheumatol 2013; 32:1811. Wise, CM. Aspiration and injection of joints in soft tissue. In: Textbook of Rheumatology, 8th Edition, Firestein, G, Budd, R, Harris, T, et al. (Eds), WB Saunders, Philadelphia 2009. p.721. Strobel G, Schwarz R, Heppt P, et al. [Use of an improved

transmission ultrasound camera for diagnosis of rheumatic joint diseases]. Z Rheumatol 1993; 52:114. Hirsch G, O'Neill T, Kitas G, Klocke R. Distribution of effusion in knee arthritis as measured by high-resolution ultrasound. Clin Rheumatol 2012; 31:1243.

Laceration and Wound Care

Hollander JE, Singer AJ. Laceration management. Ann Emerg Med 1999; 34:356. Kanegaye JT. A rational approach to the outpatient management of lacerations in pediatric patients. Curr Probl Pediatr 1998; 28:205. McNamara, RN, Loiselle, J. Laceration repair. In: Textbook of pediatric emergency procedures, Henretig, F, King, C (Eds), Williams and Wilkins, Baltimore 1997. p.1141. Robson MC. Disturbances of wound healing. Ann Emerg Med 1988; 17:1274. Moy RL, Waldman B, Hein DW. A review of sutures and suturing techniques. J Dermatol Surg Oncol 1992; 18:785. Lober CW, Fenske NA. Suture materials for closing the skin and subcutaneous tissues. Aesthetic Plast Surg 1986; 10:245. Guyuron B, Vaughan C. A comparison of absorbable and nonabsorbable suture materials for skin repair. Plast Reconstr Surg 1992; 89:234. Webster RC, McCollough EG, Giandello PR, Smith RC. Skin wound approximation with new absorbable suture material. Arch Otolaryngol 1985; 111:517. Shetty PC, Dicksheet S, Scalea TM. Emergency department repair of hand lacerations using absorbable vicryl sutures. J Emerg Med 1997; 15:673. Start NJ, Armstrong AM, Robson WJ. The use of chromic catgut in the primary closure of scalp wounds in children. Arch Emerg Med 1989; 6:216. Andrade MG, Weissman R, Reis SR. Tissue reaction and surface morphology of absorbable sutures after in vivo exposure. J Mater Sci Mater Med 2006; 17:949. Ethicon wound closure manual, Ethicon, Inc. 1998-2000. Tejani C, Sivitz AB, Rosen MD, et al. A comparison of cosmetic outcomes of lacerations on the extremities and trunk using absorbable versus nonabsorbable sutures. Acad Emerg Med 2014; 21:637. Lammers RL. Methods of wound closure. In: Clinical Procedures in Emergency Medicine, 5th ed, Roberts JR, Hedges JR (Eds), Saunders Elsevier, Philadelphia 2010. p.592. Good MM, Good LB, McIntire DD, et al. Surgical knot integrity: effect of suture type and caliber, and level of residency training. J Surg Educ 2013; 70:156. Bang RL, Mustafa MD. Comparative study of skin wound closure with polybutester (Novafil) and polypropylene. J R Coll Surg Edinb 1989; 34:205. Rodeheaver GT, Borzelleca DC, Thacker JG, Edlich RF. Unique performance characteristics of Novafil. Surg Gynecol Obstet 1987; 164:230. Xu B, Xu B, Wang L, et al. Absorbable Versus Nonabsorbable Sutures for Skin Closure: A Meta-analysis of Randomized Controlled Trials. Ann Plast Surg 2016; 76:598. Austin PE, Dunn KA, Eily-Cofield K, et al. Subcuticular sutures and the rate of inflammation in noncontaminated wounds. Ann Emerg Med 1995; 25:328. Mehta PH, Dunn KA, Bradfield JF, Austin PE. Contaminated wounds: infection rates with subcutaneous sutures. Ann Emerg Med 1996; 27:43. Zuber TJ. The mattress sutures: vertical, horizontal, and corner stitch. Am Fam Physician 2002; 66:2231. Lloyd JD, Marque MJ 3rd, Kacprowicz RF. Closure techniques. Emerg Med Clin North Am 2007; 25:73. Jones JS, Gartner M, Drew G, Pack S. The shorthand vertical mattress stitch: evaluation of a new suture technique. Am J Emerg Med 1993; 11:483. Dire DJ, Coppola M, Dwyer DA, et al. Prospective evaluation of topical antibiotics for preventing infections in uncomplicated softtissue wounds repaired in the ED. Acad Emerg Med 1995; 2:4. HINMAN CD, MAIBACH H. EFFECT OF AIR EXPOSURE AND OCCLUSION ON EXPERIMENTAL HUMAN SKIN WOUNDS. Nature 1963; 200:377. Agren MS, Karlsmark T, Hansen JB, Rygaard J. Occlusion versus air exposure on fullthickness biopsy wounds. J Wound Care 2001; 10:301. Phillips LG, Heggers JP. Layered closure

of lacerations. Postgrad Med 1988; 83:142. Heal C, Buettner P, Raasch B, et al. Can sutures get wet? Prospective randomised controlled trial of wound management in general practice. BMJ 2006; 332:1053. Noe JM, Keller M. Can stitches get wet? Plast Reconstr Surg 1988; 81:82. Cummings P, Del Beccaro MA. Antibiotics to prevent infection of simple wounds: a meta-analysis of randomized studies. Am J Emerg Med 1995; 13:396. Capellan O, Hollander JE. Management of lacerations in the emergency department. Emerg Med Clin North Am 2003; 21:205. Selbst, SM, Attia, MW. Minor trauma - lacerations. In: Textbook of Pediatric Emergency Medicine, 5th edition, Fleisher, GR, Ludwig, S (Eds), Lippincott Williams and Wilkins, Philadelphia 2006. p.1571.

Digital Blocks

Grant's Atlas of Anatomy, 14th ed, Agur A, Dalley A (Eds), Lippincott Williams & Wilkins, Philadelphia 2017. Thomson CJ, Lalonde DH. Randomized double-blind comparison of duration of anesthesia among three commonly used agents in digital nerve block. Plast Reconstr Surg 2006; 118:429. Alhelail M, Al-Salamah M, Al-Mulhim M, Al-Hamid S. Comparison of bupivacaine and lidocaine with epinephrine for digital nerve blocks. Emerg Med J 2009; 26:347. Valvano MN, Leffler S. Comparison of bupivacaine and lidocaine/bupivacaine for local anesthesia/digital nerve block. Ann Emerg Med 1996; 27:490. Altinyazar HC, Ozdemir H, Koca R, et al. Epinephrine in digital block: color Doppler flow imaging. Dermatol Surg 2004; 30:508. Prabhakar H, Rath S, Kalaivani M, Bhanderi N. Adrenaline with lidocaine for digital nerve blocks. Cochrane Database Syst Rev 2015; :CD010645. Denkler K. A comprehensive review of epinephrine in the finger: to do or not to do. Plast Reconstr Surg 2001; 108:114. Krunic AL, Wang LC, Soltani K, et al. Digital anesthesia with epinephrine: an old myth revisited. J Am Acad Dermatol 2004; 51:755. Muck AE, Bebarta VS, Borys DJ, Morgan DL. Six years of epinephrine digital injections: absence of significant local or systemic effects. Ann Emerg Med 2010; 56:270. Chowdhry S, Seidenstricker L, Cooney DS, et al. Do not use epinephrine in digital blocks: myth or truth? Part II. A retrospective review of 1111 cases. Plast Reconstr Surg 2010; 126:2031. Mohan PP. Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary. Epinephrine in digital nerve block. Emerg Med J 2007; 24:789. Lalonde D, Bell M, Benoit P, et al. A multicenter prospective study of 3,110 consecutive cases of elective epinephrine use in the fingers and hand: the Dalhousie Project clinical phase. J Hand Surg Am 2005; 30:1061. Wilhelmi BJ, Blackwell SJ, Miller J, et al. Epinephrine in digital blocks: revisited. Ann Plast Surg 1998; 41:410. Thomson CJ, Lalonde DH, Denkler KA, Feicht AJ. A critical look at the evidence for and against elective epinephrine use in the finger. Plast Reconstr Surg 2007; 119:260. Sonohata M, Nagamine S, Maeda K, et al. Subcutaneous single injection digital block with epinephrine. Anesthesiol Res Pract 2012; 2012:487650. Fitzcharles-Bowe C, Denkler K, Lalonde D. Finger injection with high-dose (1:1,000) epinephrine: Does it cause finger necrosis and should it be treated? Hand (N Y) 2007; 2:5. Ilicki J. Safety of Epinephrine in Digital Nerve Blocks: A Literature Review. J Emerg Med 2015; 49:799. Zilinsky I, Bar-Meir E, Zaslansky R, et al. Ten commandments for minimal pain during administration of local anesthetics. J Drugs Dermatol 2005; 4:212. Bartfield JM, Ford DT, Homer PJ. Buffered versus plain lidocaine for digital nerve blocks. Ann Emerg Med 1993; 22:216. Cornelius P, Kendall J, Meek S, Rajan R. Alkalinisation of lignocaine to reduce the pain of digital nerve blockade. J Accid Emerg Med 1996; 13:339. Waldbillig DK, Quinn JV, Stiell IG, Wells GA. Randomized double-blind controlled trial

comparing room-temperature and heated lidocaine for digital nerve block. Ann Emerg Med 1995; 26:677. Browne J, Fung M, Donnelly M, Cooney C. The use of EMLA reduces the pain associated with digital ring block for ingrowing toenail correction. Eur J Anaesthesiol 2000; 17:182. Serour F, Ben-Yehuda Y, Boaz M. EMLA cream prior to digital nerve block for ingrown nail surgery does not reduce pain at injection of anesthetic solution. Acta Anaesthesiol Scand 2002; 46:203. Morrison WG. Transthecal digital block. Arch Emerg Med 1993; 10:35. Hill RG Jr, Patterson JW, Parker JC, et al. Comparison of transthecal digital block and traditional digital block for anesthesia of the finger. Ann Emerg Med 1995; 25:604. Low CK, Vartany A, Engstrom JW, et al. Comparison of transthecal and subcutaneous single-injection digital block techniques. J Hand Surg Am 1997; 22:901. Keramidas EG, Rodopoulou SG, Tsoutsos D, et al. Comparison of transthecal digital block and traditional digital block for anesthesia of the finger. Plast Reconstr Surg 2004; 114:1131. Sonohata M, Asami A, Ogawa K, et al. Single injection digital block: is a transthecal injection necessary? J Hand Surg Eur Vol 2009; 34:94.

Incision and Drainage

Sivitz AB, Lam SH, Ramirez-Schrempp D, et al. Effect of bedside ultrasound on management of pediatric soft-tissue infection. J Emerg Med 2010; 39:637. Halvorson GD, Halvorson JE, Iserson KV. Abscess incision and drainage in the emergency department--Part I. J Emerg Med 1985; 3:227. Halvorson GD, Halvorson JE, Iserson KV. Abscess incision and drainage in the emergency department (Part 2). J Emerg Med 1985; 3:295. Johnston M, Dickinson G. An unexpected surprise in a common boil. J Emerg Med 1996; 14:779. Brewer TF, Wilson ME, Gonzalez E, Felsenstein D. Bacon therapy and furuncular myiasis. JAMA 1993; 270:2087. Butler K. Incision and drainage. In: Clinical Procedures in Emergency Medicine, 5th ed, Roberts JR, Hedges JR (Eds), Saunder Elsevier, Philadelphia 2010. p.657. Meislin HW, Lerner SA, Graves MH, et al. Cutaneous abscesses. Anaerobic and aerobic bacteriology and outpatient management. Ann Intern Med 1977; 87:145. Meislin HW, McGehee MD, Rosen P. Management and microbiology of cutaneous abscesses. JACEP 1978; 7:186. Gewirtzman A, Rabinovitz H. Botfly infestation (myiasis) masquerading as furunculosis. Cutis 1999; 63:71. Gaspari RJ, Resop D, Mendoza M, et al. A randomized controlled trial of incision and drainage versus ultrasonographically guided needle aspiration for skin abscesses and the effect of methicillin-resistant Staphylococcus aureus. Ann Emerg Med 2011; 57:483. Fitch MT, Manthey DE, McGinnis HD, et al. Videos in clinical medicine. Abscess incision and drainage. N Engl J Med 2007; 357:e20. Derkson DJ. Incision and drainage of an abscess. In: Procedures for Primary Care Physicians, 1st ed, Pfenninger J, Fowler GC (Eds), Mosby, St. Louis 1994. p.50. Gaspari RJ, Sanseverino A, Gleeson T. Abscess Incision and Drainage With or Without Ultrasonography: A Randomized Controlled Trial. Ann Emerg Med 2019; 73:1. Squire BT, Fox JC, Anderson C. ABSCESS: applied bedside sonography for convenient evaluation of superficial soft tissue infections. Acad Emerg Med 2005; 12:601. Iverson K, Haritos D, Thomas R, Kannikeswaran N. The effect of bedside ultrasound on diagnosis and management of soft tissue infections in a pediatric ED. Am J Emerg Med 2012; 30:1347. Berger T, Garrido F, Green J, et al. Bedside ultrasound performed by novices for the detection of abscess in ED patients with soft tissue infections. Am J Emerg Med 2012; 30:1569. Greenlund LJS, Merry SP, Thacher TD, Ward WJ. Primary Care Management of Skin Abscesses Guided by Ultrasound. Am J Med 2017; 130:e191. Lam SHF, Sivitz A, Alade K, et al. Comparison of Ultrasound Guidance vs. Clinical Assessment Alone for Management of

Pediatric Skin and Soft Tissue Infections. J Emerg Med 2018; 55:693. Marin JR, Dean AJ, Bilker WB, et al. Emergency ultrasound-assisted examination of skin and soft tissue infections in the pediatric emergency department. Acad Emerg Med 2013; 20:545. Blaivas M, Adhikari S. Unexpected findings on point-of-care superficial ultrasound imaging before incision and drainage. J Ultrasound Med 2011; 30:1425. Daly L, Durani Y. Incision and drainage of a cutaneous abscess. In: Textbook of Pediatric Emergency Procedures, 2nd ed, King C, Henretig FM (Eds), Lippincott, Williams and Wilkins, Philadelphia 2008. p.1079. Abrahamian FM, Shroff SD. Use of routine wound cultures to evaluate cutaneous abscesses for community-associated methicillin-resistant Staphylococcus aureus. Ann Emerg Med 2007; 50:66. Korownyk C, Allan GM. Evidence-based approach to abscess management. Can Fam Physician 2007; 53:1680. Singer AJ, Thode HC Jr, Chale S, et al. Primary closure of cutaneous abscesses: a systematic review. Am J Emerg Med 2011; 29:361. Singer AJ, Taira BR, Chale S, et al. Primary versus secondary closure of cutaneous abscesses in the emergency department: a randomized controlled trial. Acad Emerg Med 2013; 20:27. Leinwand M, Downing M, Slater D, et al. Incision and drainage of subcutaneous abscesses without the use of packing. J Pediatr Surg 2013; 48:1962. O'Malley GF, Dominici P, Giraldo P, et al. Routine packing of simple cutaneous abscesses is painful and probably unnecessary. Acad Emerg Med 2009; 16:470. Kessler DO, Krantz A, Mojica M. Randomized trial comparing wound packing to no wound packing following incision and drainage of superficial skin abscesses in the pediatric emergency department. Pediatr Emerg Care 2012; 28:514. Alimov V, Lovecchio F, Sinha M, et al. Use of a silvercontaining hydrofiber dressing for filling abscess cavity following incision and drainage in the emergency department: a randomized controlled trial. Adv Skin Wound Care 2013; 26:20.

Dental and Facial Nerve Blocks

Rankin M, Borah GL. Perceived functional impact of abnormal facial appearance. Plast Reconstr Surg 2003; 111:2140. Glynn SM, Shetty V, Elliot-Brown K, et al. Chronic posttraumatic stress disorder after facial injury: a 1-year prospective cohort study. J Trauma 2007; 62:410. Glynn SM, Asarnow JR, Asarnow R, et al. The development of acute post-traumatic stress disorder after orofacial injury: a prospective study in a large urban hospital. J Oral Maxillofac Surg 2003; 61:785. Singer AJ, Mach C, Thode HC Jr, et al. Patient priorities with traumatic lacerations. Am J Emerg Med 2000; 18:683. Levine E, Degutis L, Pruzinsky T, et al. Quality of life and facial trauma: psychological and body image effects. Ann Plast Surg 2005; 54:502. Lee RH, Gamble WB, Robertson B, Manson PN. The MCFONTZL classification system for soft-tissue injuries to the face. Plast Reconstr Surg 1999; 103:1150. Moss AL. Facial laceration repairs revisited. Am J Emerg Med 2005; 23:420. Aloosi SN, Khoshnaw N, Ali SM, Muhammad BA. Surgical management of Stenson's duct injury by using double J stent urethral catheter. Int J Surg Case Rep 2015; 17:75. Montag DT, Jethwa AR, Odland RM. Novel technique to diagnose parotid duct injuries at the bedside using fluorescein. Am J Emerg Med 2016; 34:308. Öztürk MB, Barutca SA, Keskin ES, Atik B. Parotid Duct Repair with Intubation Tube: Technical Note. Ann Maxillofac Surg 2017; 7:129. Sujeeth S, Dindawar S. Parotid duct repair using an epidural catheter. Int J Oral Maxillofac Surg 2011; 40:747. Lammers RL. Methods of wound closure. In: Clinical Procedures in Emergency Medicine, 5th ed, Roberts JR, Hedges JR (Eds), Saunders Elsevier, Philadelphia 2010. p.592. Hollander JE, Singer AJ. Laceration management. Ann Emerg Med 1999; 34:356. Saigal K, Winokur RS, Finden S, et al. Use of three-dimensional computerized

tomography reconstruction in complex facial trauma. Facial Plast Surg 2005; 21:214. Moskop JC. Informed consent in the emergency department. Emerg Med Clin North Am 1999; 17:327. Code of ethics for emergency physicians. American College of Emergency Physicians. Ann Emerg Med 1997; 30:365. Tsai AK, Schafermeyer RW, Kalifon D, et al. Evaluation and treatment of minors: reference on consent. Ann Emerg Med 1993; 22:1211. Häfner HM, Röcken M, Breuninger H. Epinephrine-supplemented local anesthetics for ear and nose surgery: clinical use without complications in more than 10,000 surgical procedures. J Dtsch Dermatol Ges 2005; 3:195. Wu G, Calamel PM, Shedd DP. THe hazards of injecting local anesthetic solutions with epinephrine into flaps: experimental study. Plast Reconstr Surg 1978; 62:396. Reinisch J, Myers B. The effect of local anesthesia with epinephrine on skin flap survival. Plast Reconstr Surg 1974; 54:324. Atabey A, Galdino G, El-Shahat A, Ramirez OM. The effects of tumescent solutions containing lidocaine and epinephrine on skin flap survival in rats. Ann Plast Surg 2004; 53:70. Lacroix G, Meaudre E, Prunet B, et al. [Appreciation of the role of regional anaesthesia in managing facial wounds in the emergency unit]. Ann Fr Anesth Reanim 2010; 29:3. Cimpello LB, Deutsch RJ, Dixon C, et al. Illustrated techniques of pediatric emergency procedures. In: Textbook of Pediatric Emergency Medicine, 6th ed, Fleisher GR, Ludwig S (Eds), Lippincott, Williams & Wilkins, Philadelphia 2010. p.1744. Lynch MT, Syverud SA, Schwab RA, et al. Comparison of intraoral and percutaneous approaches for infraorbital nerve block. Acad Emerg Med 1994; 1:514.